THE AUSTRALIAN JOURNAL OF EXPERIMENTAL BIOLOGY AND MEDICAL SCIENCE

VOLUME XLIII

AUTHOR INDEX

Ada, G. L., Nossal, G. J. V., and Pye, J. Antigens in immunity. XI. The uptake of antigen in animals previously rendered immunologically tolerant, 337.

Anderson, S. G. The production of antibody in the presence of interferon, 345.

Annear, D. I. Effect of heat during drying on survival of bacteria in desiccates, 665.

Annear, D. I. Recoveries of *Strigomonas oncopelti*, leptospirae and Reiter's treponeme from desiccates after storage for five years, 683.

Antonas, K. N., Onesti, P., and Woodliff, H. J. The effect of drugs on the oxygen uptake of cells from patients with chronic granulocytic leukaemia, 751.

Austin, L., Gillis, R. G., and Youatt, G. Stonefish venom: some biochemical and chemical observations, 79.

Auzins, I., *see* Jenkin, C. R.

Baker, E., *see* Parker, L.

Baumgarten, A., *see* Curtain, C. C.

Beattie, A. W., *see* Gartner, R. J. W.

Blair-West, J. R., Coghlan, J. P., Denton, D. A., Goding, J. R., and Wright, R. D. The effect of angiotensin II on the sensitivity of the parotid gland of the sheep to aldosterone, 489.

Bradley, R., *see* Metcalf, D.

Bradley, T. R., *see* Metcalf, D.

Brailsford Robertson memorial lecture. Physiological aspects of disturbances of speech, by D. Denny-Brown, 455.

Braun, W., *see* Kessel, R. W. I.

Bremner, K. C., and Ronalds, J. A. The effect of experimental haemorrhage on the levels of haemoglobin, plasma iron and total iron-binding capacity in dairy calves, 593.

Brown, D. Denny-, *see* Denny-Brown, D.

Bruce, S., *see* Margolis, J.

Burnet, F. M., *see* Giltinan, P. J.

Burnet, F. M., Commemoration issue, 327.

Christie, G. S., *see* Leaver, D. D.

Clarke, A. E., Hydrolytic enzymes of human polymorphonuclear leucocytes and rat monocytes, 201.

Clarke, K., *see* Szenberg, A.

Coghlan, J. P., *see* Blair-West, J. R.

Cole, R. A. Viral agents from patients with infective hepatitis, 497.

Coles, N. W., and Gross, R. The induced formation of penicillinase in *Staphylococcus aureus*, 725.

Cousins, F. B., and Smillie, A. C. Studies on a skin calcifying system, 785.

Cross, R. B., and Sherrington, L. A. The effect of vasopressin on water distribution in the rat kidney, 505.

Curtain, C. C., and Baumgarten, A. The distribution of genetic factors in malaria antibodies as determined by a fluorescent antibody test, 351.

Curtain C. C., and Baumgarten, A. Immunocytochemical localization of a 19S γ_1 macroglobulin cold haemagglutinin, 157.

Davis, R. E., and Leake, E. Histidine metabolite excretion and serum folate levels, 185.

de la Lande, I. S., and Rand, M. J. A simple isolated nerve-blood vessel preparation, 639.

Denny-Brown, D. Physiological aspects of disturbances of speech, 455.

Denton, D. A., *see* Blair-West, J. R.

Dineen, J. K., *see* Wagland, B. M.

Ehtisham-Ud-Din, A. F. M., *see* Salton, M. R. J.

Fantl, P. Clotting in heparinised plasma. 2. Underlying reactions, 45.

Fenner, F., and Woodroofe, G. M. Changes in the virulence and antigenic structure of strains of myxoma virus recovered from Australian wild rabbits between 1950 and 1964, 359.

Fenner, F. Viruses of the myxoma-fibroma subgroup of the poxviruses. 2. Comparison of soluble antigens by gel diffusion tests, and a general discussion of the subgroups, 143.

Fenner, F., *see also* Woodroofe, G. M.

Ferguson, J., *see* Tomkins, G. A.

Fewings, J. D., Roberts, M. L., Stepanas, A. V., and Whelan, R. F. The effects of decreased muscle blood flow on post-exercise hyperaemia in the human forearm, 547.

French, E. L., and St.George, T. D. The growth and neutralization of Newcastle disease virus in BHK21 tissue cultures, 371.

Garlick, D. G. The use of ^{131}I-albumin in assays of drugs that increase vascular permeability in the skin of guinea-pigs, 671.

Gartner, R. J. W., Ryley, J. W., and Beattie, A. W. The influence of degree of excitation on certain blood constituents in beef cattle, 713.

George, T. D. St., *see* St.George, T. D.

Gillis, R. G., *see* Austin, L.

Giltinan, P. J., Holmes, M. C., and Burnet, F. M. Cortisone acetate treatment of haemolytic anaemia in NZB mice, 523.

Glow, P. H., *see* Rose, S.

Goding, J. R., *see* Blair-West, J. R.

Goldstein, G., and Mackay, I. R. Contrasting abnormalities in the thymus in systemic lupus erythematosus and myasthenia gravis: a quantitative histological study, 381.

Good, B. F., Potter, H. A., and Hetzel, B. S. The effect of salicylate and related drugs on thyroxine binding in man, 291.

Gottschalk, A. The significance of neuraminic acid, serine and threonine for a glycoprotein inhibiting influenza virus haemagglutination, 391.

Gross, R., *see* Coles, N. W.

Halliday, W. J., and Webb, M. A plaque technique for counting cells which produce antibacterial antibody, 163.

Halmagyi, D. F. J., *see* Margolis, J.

Ham, K. N., Hurley, J. V., Ryan, G. B., and Storey, E. Localization of particulate carbon in metaphyseal vessels of growing rats, 625.

Herriott, B. A., Sinnett, P. F., and Palmer, A. A. The occurrence in the rat of an accessory pancreatic duct opening directly into the duodenum, 175.

Hetzel, B. S., *see* Good, B. F.

Holman, M. E., and Hughes, J. R. Inhibition of intestinal smooth muscle, 277.

Holmes, M. C. Coombs test conversion in young NZB mice induced by transfer of lymphoid cells from Coombs positive donors, 399.

Holmes, M. C., *see also* Giltinan, P. J.

Horner, G. J., *see* Margolis, J.

Hughes, J. R., *see* Holman, M. E.

Hurley, J. V., *see* Ham, K. N.

Ilbery, P. L. T. Thymic, lymphoid and marrow inocula in cytogenetic repopulation studies in irradiated mice, 579.

Isaacs, A. Studies on interferon, 405.

Jenkin, C. R., and Rowley, D. Partial purification of the "protective" antigen of *Salmonella typhimurium* and its distribution amongst various strains of bacteria, 65.

Jenkin, C. R., Auzins, I., and Reade, P. C. The synthesis of macroglobulin antibody to a bacterial antigen in mice after treatment with thorotrast, 607.

Jenkin, C. R., *see also* Reade, P. C.

Kessel, R. W. I., and Braun, W. Cytotoxicity of endotoxin *in vitro*. Effects on macrophages from normal guinea pigs, 511.

Lande, de la, *see* de la Lande.

Lascelles, A. K., *see* Outteridge, P. M.

Laycock, G. M., Shulman, A., and Wright, R. D. Hypnotic-analeptic interaction at different neural levels in cats and rabbits, 771.

Leake, E., *see* Davis, R. E.

Leaver, D. D., and Christie, G. S. Pathological changes following experimental obstruction of the common bile duct, hepatic bile duct and hepatic artery in the sheep and their relation to facial eczema, 1.

Lemcke, R. M., Shaw, E. J., and Marmion, B. P. Related antigens in *Mycoplasma pneumoniae* and *Mycoplasma mycoides* var. *mycoides*, 761.

Lewis, J. C., *see* Thomas, D. W.

Lind, P., *see* Szenberg, A.

McBrien, B. P. The induction of respiratory deficient mutants in a yeast by hydrogen peroxide and the effect of pH on the mutation rate, 573.

McClain, M. E. The host range and plaque morphology of rabbitpox virus (RP*u* +) and its *u* mutants on chick fibroblast, PK-2a, and L929 cells, 31.

McDonald, I. W., *see* Shutt, D. A.

Mackay, I. R., *see* Goldstein, G.

Margolis, J., Bruce, S., Starzecki, B., Horner, G. J., and Halmagyi, D. F. J. Release of bradykinin-like substance (BKLS) in sheep by venom of *Crotalus atrox*, 237.

Marmion, B. P., *see* Lemcke, R. M.

Marshall, W. H., and Norins, L. C. Antigenic properties of the extract of *Phaseolus vulgaris* seeds (phytohaemagglutinin) routinely used in leucocyte cultures, 213.

Martin, F. I. R. Pituitary gonadotrophins in urine, 315.

Maxwell, G. M. Effects of hyperkalaemia upon the general and coronary haemodynamics of the dog, 657.

Metcalf, D., and Bradley, R. The growth and erythropoietic activity of spleen grafts placed under the kidney capsule, 229.

Metcalf, D., Wakonig-Vaartaja, R., and Bradley, T. R. The growth and repopulation of thymus grafts placed under the kidney capsule, 17.

Metcalf, D., Nakamura, K., and Wiadrowski, M. Patterns of cellular differentiation in spontaneous and transplanted lymphomata in mice, 413.

Metcalf, D. Spleen graft mast cell population changes following splenectomy of the host, 533.

Miller, J. J. III. Autoradiographic observations on the location of DNA–and RNA–synthesizing cells in rat popliteal lymph nodes, 107.

Nakamura, K., *see* Metcalf, D.

Norins, L. C., *see* Marshall, W. H.

Nossal, G. J. V., *see* Ada, G. L.

Onesti, P., *see* Antonas, K. N.

Outteridge, P. M., Rock, J. D., and Lascelles, A. K. The immune response of the mammary gland and regional lymph node following antigenic stimulation, 265.

Palmer, A. A., *see* Herriott, B. A.

Parker, L., Baker, E., and Stanley, N. F. The isolation of reovirus type 3 from mosquitoes and a sentinel infant mouse, 167.

Potter, H. A., *see* Good, B. F.

Pye, J., *see* Ada, G. L.

Rand, M. J., *see* de la Lande, I. S.

Reade, P. C., Jenkin, C. R., and Turner, K. J. The synthesis by foetal chicks and rats of serum proteins having some properties of the immunoglobulins, 699.

Reade, P. C., *see also* Jenkin, C. R.

Reeves, P. The adsorption and kinetics of killing by colicin CA42-E_2, 191.

Roberts, M. L., *see* Fewings, J. D.

Robertson memorial lecture, *see* Brailsford Robertson memorial lecture.

Rock, J. D., *see* Outteridge, P. M.

Ronalds, J. A., *see* Bremner, K. C.

Rose, S., and Glow, P. H. Effects of intravitreous injection of drugs on the cholinesterase of the retina, 737.

Roser, B. The distribution of intravenously injected peritoneal macrophages in the mouse, 553.

Rowley, D., *see* Jenkin, C. R.

Rozenberg, M. C. The effect of streptokinase on the platelet aggregates in artificial *in vitro* thrombosis, 245.

Ryan, G. B., *see* Ham, K. N.

Ryley, J. W., *see* Gartner, R. J. W.

St.George, T. D., *see* French, E. L.

Salton, M. R. J., and Ehtisham-Ud-Din, A. F. M. The localization of cytochromes and carotenoids in isolated bacterial membranes and envelopes, 255.

Shaw, E. J., *see* Lemcke, R. M.

Sheard, R. P., *see* Winter H.

Sheath, J. Estimation of plasma non-esterified fatty acids and triglyceride fatty acids by thin-layer chromatography and colorimetry, 563.

Sherrington, L. A., *see* Cross, R. B.

Shorey, C. D., *see* Tedder, E.

Shulman, A., *see* Laycock, G. M.

Shutt, D. A., and McDonald, I. W. Rate of haemoglobin synthesis after blood loss in sheep and the influence of dietary protein, 475.

Sinnett, P. F., *see* Herriott, B. A.

Smillie, A. C., *see* Cousins, F. B.

Softly, A., and Stanley, N. F. The use of sentinel infant mice for virus isolation, 171.

Stanley, N. F., *see* Parker L., and Softly, A.

Starzecki, B., *see* Margolis, J.

Stepanas, A. V., *see* Fewings, J. D.

Stevens, K. M. Lung cancer: an evolutionary approach, 421.

Storey, E., *see* Ham, K. N.

Szenberg, A., Lind, P., and Clarke, K. IgG and IgM antibodies in fowl serum, 451.

Tedder, E., and Shorey, C. D. The fine structure of normal rabbit inferior vena cava, 91.

Tedder, E., and Shorey, C. D. The fine structure of rabbit inferior vena cava in partial obstruction, 99.

Thayer, J. R. The suitability of silvered leaf monkey (*Presbytis cristatus*) kidney cell cultures for testing poliovirus vaccines, 803.

Thomas, D. W., and Lewis, J. C. Histamine release by the ant, 275.

Tomkins, G. A., and Ferguson, J. Growth of diploid and heteroploid tissue cultures in the presence of some antibiotics, 743.

Turner, K. J., *see* Reade, P. C.

Tyler, M. J. An economical bioassay bath for isolated tissues, 685

Vaartaja, R. Wakonig-, *see* Wakonig-Vaartaja, R.

Wagland, B. M., and Dineen, J. K. The cellular transfer of immunity to *Trichostrongylus colubriformis* in an isogenic strain of guinea-pig, 429.

Wakonig-Vaartaja, R., *see* Metcalf, D.

Warner, N. L. The immunological role of different lymphoid organs in the chicken.
IV. Functional differences between thymic and bursal cells, 439.

Webb, M., *see* Halliday, W. J.

West, J. R., Blair-, *see* Blair-West, J. R.

Whelan, R. F., *see* Fewings, J. D.

Wiadrowski, M., *see* Metcalf, D.

Winter, H., and Sheard, R. P. The skewness of volume distribution curves of erythrocytes, 687.

Wood, I. J. An appreciation of Frank Macfarlane Burnet, 327.

Woodliff, H. J., *see* Antonas, K. N.

Woodroofe, G. M., and Fenner, F. Viruses of the myxoma-fibroma subgroup of the poxviruses.
1. Plaque production in cultured cells, plaque-reduction tests, and cross-protection tests in rabbits, 123.

Woodroofe, G. M., *see also* Fenner, F.

Wright, R. D., *see* Shulman, A., and Blair-West, J. R.

Youatt, G., *see* Austin, L.

Youatt, J. Changes in the phosphate content of mycobacteria produced by isoniazid and ethambutol, 305.

SUBJECT INDEX

^{131}I-albumin, the use of, in assays of drugs that increase vascular permeability in the skin of guinea-pig (Garlick), 671.

Aldosterone, the effect of angiotensin II on the sensitivity of the parotid gland of the sheep to (Blair-West, Coghlan, Denton, Goding and Wright), 489.

Anaemia, haemolytic, in NZB mice, cortisone acetate treatment of (Giltinan, Holmes and Burnet), 523.

Angiotensin II, the effect of, on the sensitivity of the parotid gland of the sheep to aldosterone (Blair-West, Coghlan, Denton, Goding and Wright), 489.

Ant, histamine release by the (Thomas and Lewis), 275.

Antibiotics, growth of diploid and heteroploid tissue cultures in the presence of some (Tomkins and Ferguson), 743.

Antibodies, IgG and IgM, in fowl serum (Szenberg, Lind and Clarke), 451.

Antibodies, malaria, *see* Malaria antibodies.

Antibody, antibacterial, a plaque technique for counting cells which produce (Halliday and Webb), 163.

Antibody, macroglobulin, the synthesis of, to a bacterial antigen in mice after treatment with thorotrast (Jenkin, Auzins and Reade), 607.

Antibody, the production of, in the presence of interferon (Anderson), 345.

Antigenic properties of the extract of *Phaseolus vulgaris* seeds (phytohaemagglutinin) routinely used in leucocyte cultures (Marshall and Norins), 213.

Antigens in immunity.
11. The uptake of antigen in animals previously rendered immunologically tolerant (Ada, Nossal and Pye), 337.

Antigen, related, in *Mycoplasma pneumoniae* and *Mycoplasma mycoides* var. *mycoides* (Lemcke, Shaw and Marmion), 761.

Autoradiographic observations on the location of DNA–and RNA–synthesizing cells in rat popliteal lymph nodes (Miller III), 107.

Bacteria in desiccates, effect of heat during drying on survival of (Annear), 665.

Bile duct, common, hepatic bile duct and hepatic artery in the sheep, pathological changes following experimental distribution of, and their relation to facial eczema (Leaver and Christie), 1.

Bioassay bath, an economical, for isolated tissues (Tyler), 685.

Blood constituents in beef cattle, certain, the influence of degree of excitation on (Gartner, Ryley and Beattie), 713.

Blood loss in sheep, rate of haemoglobin synthesis after, and the influence of dietary protein (Shutt and McDonald), 475.

Bradykinin-like substance (BKLS), release of in sheep, by venom of *Crotalus atrox* (Margolis, Bruce, Starzecki, Horner and Halmagyi), 237.

Burnet, Frank Macfarlane, an appreciation of (Wood), 327.

Calcifying system, skin, studies on a (Cousins and Smillie), 785.

Cancer, lung: an evolutionary approach (Stevens), 421.

Carbon, particulate, localization of, in metaphyseal vessels of growing rats (Ham, Hurley, Ryan and Storey), 625.

Carotenoids and cytochromes, the localization of, in isolated bacterial membranes and envelopes (Salton and Ehtisham-Ud-Din), 255.

Cholinesterase of the retina, effects of intravitreous injection of drugs on the (Rose and Glow), 737.

Clotting in heparinised plasma.
2. Underlying reactions (Fantl), 45.

Colicin CA42-E_2, the adsorption and kinetics of killing by (Reeves), 191.

Coombs test conversion in young NZB mice induced by transfer of lymphoid cells from Coombs positive donors (Holmes), 399.

Cortisone acetate treatment of haemolytic anaemia in NZB mice (Giltinan, Holmes and Burnet), 523.

Crotalus atrox, venom of, release of bradykinin-like substance (BKLS), in sheep by (Margolis, Bruce, Starzecki, Horner and Halmagyi), 237.

Cytochromes and carotenoids, the localization in, in isolated bacterial membranes and envelopes (Salton and Ehtisham-Ud-Din), 255.

Cytotoxicity of endotoxin *in vitro*. Effects on macrophages from normal guinea pigs (Kessel and Braun), 511.

DNA – and RNA – synthesizing cells in rat popliteal lymph nodes, autoradiographic studies on the location of (Miller III), 107.

Diploid and heteroploid tissue cultures, growth of, in the presence of some antibiotics (Tomkins and Ferguson), 743.

Eczema, facial, pathological changes following experimental obstruction of the common bile duct, hepatic bile duct and hepatic artery in the sheep, and their relation to (Leaver and Christie), 1.

Endotoxin, cytotoxicity of, *in vitro*. Effects on macrophages from normal guinea pigs (Kessel and Braun), 511.

Enzymes, hydrolytic, of human polymorphonuclear leucocytes and rat monocytes (Clarke), 201.

Erythrocytes, the skewness of volume distribution curves of (Winter and Sheard), 687.

Erythropoietic activity and the growth of spleen grafts placed under the kidney capsule (Metcalf and Bradley), 229.

Ethambutol and isoniazid, changes in the phosphate content of mycobacteria produced by (Youatt), 305.

Excitation, the influence of degree of, on certain blood constituents in beef cattle (Gartner, Ryley and Beattie), 713.

Fatty acids, plasma non-esterified and triglyceride fatty acids, estimation of, by thin-layer chromatography and colorimetry. (Sheath), 563.

Folate levels, serum, and histidine metabolite excretion (Davis and Leake), 185.

Fowl serum, IgG and IgM antibodies in (Szenberg, Lind and Clarke), 451.

Genetic factors in malaria antibodies, the distribution of, as determined by a fluorescent antibody test (Curtain and Baumgarten), 351.

Gonadotrophins, pituitary, in urine (Martin), 315.

The growth and erythropoietic activity of spleen grafts placed under the kidney capsule (Metcalf and Bradley), 229.

Haemagglutinin, cold, a 19S γ_1 macroglobulin, immunocytochemical localization of (Curtain and Baumgarten), 157.

Haemodynamics, general and coronary of the dog, effects of hyperkalaemia upon (Maxwell), 657.

Haemoglobin, plasma iron and total iron-binding capacity, the effect of experimental haemorrhage on the levels of, in dairy calves (Bremner and Ronalds), 593.

Haemoglobin synthesis, rate of, after blood loss in sheep, and the influence of dietary protein (Shutt and McDonald), 475.

Haemolytic anaemia, *see* Anaemia, haemolytic.

Haemorrhage, experimental, the effect of, on the levels of haemoglobin, plasma iron and total iron-binding capacity in dairy calves (Bremner and Ronalds), 593.

Heat during drying, effect of, on survival of bacteria in desiccates (Annear), 665.

Heparinised plasma, clotting in.
2. Underlying reactions (Fantl), 45.

Hepatic bile duct, common bile duct and hepatic artery in the sheep, pathological changes following experimental obstruction of, and their relation to facial eczema (Leaver and Christie), 1.

Hepatitis, infective, viral agents from patients with (Cole), 497.

Heteroploid and diploid tissue cultures, growth of, in the presence of some antibiotics (Tomkins and Ferguson), 743.

Histamine release by the ant (Thomas and Lewis), 275.

Histidine metabolite excretion and serum folate levels (Davis and Leake), 185.

Host range and plaque morphology of rabbitpox virus (RP*u* +) and its *u* mutants on chick fibroblast, PK-2a, and L929 cells (McClain), 31.

Hydrogen peroxide, the induction of respiratory deficient mutants in a yeast by, and the effect of pH on the mutation rate (McBrien), 573.

Hydrolytic enzymes of human polymorphonuclear leucocytes and rat monocytes (Clarke), 201.

Hyperaemia, post-exercise, in the human forearm, the effects of decreased muscle blood flow on (Fewings, Roberts, Stepanas and Whelan), 547.

Hyperkalaemia, effects of, upon the general and coronary haemodynamics of the dog (Maxwell), 657.

Hypnotic-analeptic interaction at different neural levels in cats and rabbits (Laycock, Shulman and Wright), 771.

Immune response of the mammary gland and regional lymph node following antigenic stimulation (Outteridge, Rock and Lascelles), 265.

Immunity, antigens in.
11. The uptake of antigen in animals previously rendered immunologically tolerant (Ada, Nossal and Pye), 337.

Immunity to *Trichostrongylus colubriformis*, the cellular transfer of, in an isogenic strain of guinea-pig (Wagland and Dineen), 429.

Immunocytochemical localization of 19S γ_1 macroglobulin cold haemagglutinin (Curtain and Baumgarten), 157.

Immunoglobulins, the synthesis by foetal chicks and rats of serum proteins having some properties of the (Reade, Jenkin and Turner), 699.

Immunological role of different lymphoid organs in the chicken.
IV. Functional differences between thymic and bursal cells (Warner), 439.

Influenza virus haemagglutination, glycoprotein inhibiting, the significance of neuraminic acid serine and threonine (Gottschalk), 391.

Interferon, studies on (Isaacs), 405.

Interferon, the production of antibody in the presence of (Anderson), 345.

Intestinal smooth muscle, inhibition of (Holman and Hughes), 277.

Iron-binding capacity, total haemoglobin and plasma iron, the effect of experimental haemorrhage on the levels of, in dairy calves (Bremner and Ronalds), 593.

Isoniazid and ethambutol, changes in the phosphate content of mycobacteria produced by (Youatt), 305.

Isonicotinic acid hydrazide, *see* Isoniazid.

Kidney cell cultures, silvered leaf monkey (*Presbytis cristatus*), the suitability of, for testing poliovirus vaccines (Thayer), 803.

Kidney, rat, the effect of vasopressin on water distribution in the (Cross and Sherrington), 505.

Leptospirae, *Strigomonas oncopelti* and Reiter's treponeme, recoveries of, from desiccates after storage for five years (Annear), 683.

Leukaemia, chronic granulocytic, the effect of drugs on the oxygen uptake of cells from patients with (Antonas, Onesti and Woodliff), 751.

Lung cancer: an evolutionary approach (Stevens), 421.

Lupus erythematosus, systemic, and myasthenia gravis, contrasting abnormalities in the thymus in: a quantitative histological study (Goldstein and Mackay), 381.

Lymph node, regional, and mammary gland, the immune response of the, following antigenic stimulation (Outteridge, Rock and Lascelles), 265.

Lymphoid organs, different, the immunological role of, in the chicken.
IV. Functional differences between thymic and bursal cells (Warner), 439.

Lymphoid, thymic and marrow inocula in cytogenetic repopulation studies of irradiated mice (Ilbery), 579.

Lymphomata, spontaneous and transplanted, in mice, patterns of cellular differentiation in (Metcalf, Nakamura and Wiadrowski), 413.

Macroglobulin antibody, *see* Antibody, macroglobulin.

19S γ_1 Macroglobulin cold haemagglutinin, immunocytochemical localization of (Curtain and Baumgarten), 157.

Macrophages, peritoneal, intravenously injected, the distribution of, in the mouse (Roser), 553.

Malaria antibodies, the distribution of genetic factors in, as determined by a fluorescent antibody test (Curtain and Baumgarten), 351.

Mammary gland and regional lymph node, the immune response of the, following antigenic stimulation (Outteridge, Rock and Lascelles), 265.

Marrow, thymic and lymphoid inocula in cytogenetic repopulation studies of irradiated mice (Ilbery), 579.

Mast cell population changes, spleen graft, following splenectomy of the host (Metcalf), 533.

Metaphyseal vessels of growing rats, localization of particulate carbon in (Ham, Hurley, Ryan and Storey), 625.

Monkey, silvered leaf, *see Presbytis cristatus*.

Muscle, smooth, inhibition of intestinal (Holman and Hughes), 277.

Myasthenia gravis and systemic lupus erythematosus, contrasting abnormalities in the thymus in: a quantitative histological study (Goldstein and Mackay), 381.

Mycoplasma pneumoniae and *Mycoplasma mycoides* var. *mycoides*, related antigens in (Lemcke, Shaw and Marmion), 761.

Myrmecia sp., *see* Ant.

Myxoma-fibroma subgroup of the poxviruses, viruses of the.
1. Plaque production in cultured cells, plaque reduction tests, and cross-protection tests in rabbits (Woodroofe and Fenner), 123.
2. Comparison of soluble antigens by gel diffusion tests and a general discussion of the subgroup (Fenner), 143.

Myxoma virus recovered from Australian wild rabbits between 1950 and 1964, changes in the virulence and antigenic structure of strains of (Fenner and Woodroofe), 359.

Nerve-blood vessel preparation, a simple isolated (de la Lande and Rand), 639.

Neuraminic acid, serine and threonine, the significance of, for a glycoprotein inhibiting influenza virus haemagglutination (Gottschalk), 391.

Newcastle disease virus, the growth and neutralization of, in BHK21 tissue cultures (French and St.George), 371.

Oxygen uptake of cells, the effect of drugs on the, from patients with chronic granulocytic leukaemia (Antonas, Onesti and Woodliff), 751.

Pancreatic duct, an accessory, opening directly into the duodenum, the occurrence in the rat of (Herriott, Sinnett and Palmer), 175.

Parotid gland of the sheep, the sensitivity of the, to aldosterone, the effect of angiotensin II on (Blair-West, Coghlan, Denton, Goding and Wright), 489.

Penicillinase, the induced formation of, in *Staphylococcus aureus* (Coles and Gross), 725.

Phaseolus vulgaris seeds, extract of (phytohaemagglutinin), routinely used in leucocyte cultures, antigenic properties of the (Marshall and Norins), 213.

Phosphate content of mycobacteria, changes in the, produced by isoniazid and ethambutol (Youatt), 305.

Phytohaemagglutinin, extract of *Phaseolus vulgaris* seeds, routinely used in leucocyte cultures, antigenic properties of the (Marshall and Norins), 213.

Pituitary gonadotrophins in urine (Martin), 315.

Plaque morphology and the host range of rabbitpox virus (RP*u* +) and its *u* mutants on chick fibroblast, PK-2a, and L929 cells (McClain), 31.

Plaque technique for counting cells which produce antibacterial antibody (Halliday and Webb), 163.

Plasma, heparinised, clotting in.
2. Underlying reactions (Fantl), 45.

Plasma iron, haemoglobin and total iron-binding capacity, the effect of experimental haemorrhage on the levels of, in dairy calves (Bremner and Ronalds), 593.

Poliovirus vaccines, the suitability of silvered leaf monkey (*Presbytis cristatus*) kidney cell cultures for testing (Thayer), 803.

Poxviruses, viruses of the myxoma-fibroma subgroup of the.
1. Plaque production in cultured cells, plaque reduction tests, and cross-protection tests in rabbits (Woodroofe and Fenner), 123.
2. Comparison of soluble antigens by gel diffusion tests and a general discussion of the subgroup (Fenner), 143.

Presbytis cristatus, silvered leaf monkey, kidney cell cultures, the suitability of, for testing poliovirus vaccines (Thayer), 803.

Protein, dietary, rate of haemoglobin synthesis after blood loss in sheep, and the influence of (Shutt and McDonald), 475.

Proteins, serum, having some properties of the immunoglobulins, the synthesis by foetal chicks and rats of (Reade, Jenkin and Turner), 699.

RNA – and DNA – synthesizing cells in rat popliteal lymph nodes, autoradiographic observations on the location of (Miller III), 107.

Rabbitpox virus (RP*u* +) and its *u* mutants, the host range and plaque morphology of, on chick fibroblast, PK-2a, and L929 cells (McClain), 31.

Reiter's treponeme, *Strigomonas oncopelti* and leptospirae, recoveries of, from desiccates after storage for five years (Annear), 683.

Reovirus type 3, the isolation of, from mosquitoes and a sentinel infant mouse (Parker, Baker and Stanley), 167.

Respiratory deficient mutants in a yeast, the induction of, by hydrogen peroxide, and the effect of pH on the mutation rate (McBrien), 573.

Retina, cholinesterase of the, effects of intravitreous injection of drugs on the (Rose and Glow), 737.

Salicylate and related drugs, the effect of, on thyroxine binding in man (Good, Potter and Hetzel), 291.

Salmonella typhimurium, partial purification of the "protective" antigen of, and its distribution amongst various strains of bacteria (Jenkin and Rowley), 65.

Serine, neuraminic acid, and theonine, the significance of, for a glycoprotein inhibiting influenza virus haemagglutination (Gottschalk), 391.

Serum proteins, *see* Proteins, serum.

Silvered leaf monkey, *see Presbytis cristatus*.

Skin calcifying system, studies on a (Cousins and Smillie), 785.

Snake, *see Crotalus atrox*.

Speech, physiological aspects of disturbances of (Denny-Brown), 455.

Spleen graft mast cell population changes following splenectomy of the host (Metcalf), 533.

Spleen grafts placed under the kidney capsule, the growth and erythropoietic activity of (Metcalf and Bradley), 229.

Staphylococcus aureus, the induced formation of penicillinase in (Coles and Gross), 725.

Stonefish venom: some biochemical and chemical observations (Austin, Gillis and Youatt), 79.

Streptokinase, the effect of, on the platelet aggregates in artificial *in vitro* thrombosis (Rozenberg), 245.

Strigomonas oncopelti, leptospirae and Reiter's treponeme, recoveries of, from desiccates after storage for five years (Annear), 683.

Synanceja sp., *see* Stonefish.

Thorotrast, the synthesis of macroglobulin antibody to a bacterial antigen in mice after treatment with (Jenkin, Auzins and Reade), 607.

Threonine, neuraminic acid and serine, the significance of, for a glycoprotein inhibiting influenza virus haemagglutination (Gottschalk), 391.

Thrombosis, artificial *in vitro*, the effect of streptokinase on the platelet aggregates in (Rozenberg), 245.

Thymic, lymphoid and marrow inocula in cytogenetic repopulation studies of irradiated mice (Ilbery), 579.

Thymus, contrasting abnormalities in the, in systemic lupus erythematosus and myasthenia gravis: a quantitative histological study (Goldstein and Mackay), 381.

Thymus grafts placed under the kidney capsule, the growth and repopulation of (Metcalf, Wakonig-Vaartaja and Bradley), 17.

Thyroxine binding in man, the effect of salicylate and related drugs on (Good, Potter and Hetzel), 291.

Trichostrongylus colubriformis, the cellular transfer of immunity to, in an isogenic strain of guinea-pig (Wagland and Dineen), 429.

Vaccines, poliovirus, *see* Poliovirus vaccines.

Vascular permeability in the skin of guinea-pigs, the use of ^{131}I-albumin in assays of drugs that increase (Garlick), 671.

Vasopressin, the effect of, on water distribution in the rat kidney (Cross and Sherrington), 505.

Vena cava, inferior, normal rabbit, the fine structure of (Tedder and Shorey), 91.

Vena cava, inferior, rabbit, the fine structure of, in partial obstruction (Tedder and Shorey), 99.

Viral agents from patients with infective hepatitis (Cole), 497.

Virus, influenza, *see* Influenza virus.

Virus isolation, the use of sentinel infant mice for (Softly and Stanley), 171.

Virus, myxoma, *see* Myxoma virus.

Virus, Newcastle disease, *see* Newcastle disease virus.

Virus, rabbitpox, *see* Rabbitpox virus.

Viruses of the myxoma-fibroma subgroup of the poxviruses.

1. Plaque production in cultured cells, plaque reduction tests, and cross-protection tests in rabbits (Woodroofe and Fenner), 123.
2. Comparison of soluble antigens by gel diffusion tests and a general discussion of the subgroup (Fenner), 143.

Water distribution in the rat kidney, the effect of vasopressin on (Cross and Sherrington), 505.

Yeast, the induction of respiratory deficient mutants in a, by hydrogen peroxide and the effect of pH on the mutation rate (McBrien), 573.